

APPLICATION		2D XT	REV		ONS
NEXT ASSY	USE	Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6	1-023-E-001	1	APPROVAL

1
2
3
6

DEPOT SPARE PARTS KIT
BRIEFING PRINT ENLARGER

<u>Part No.</u>	<u>Item No.</u>	<u>Used On</u>	<u>Description</u>	<u>Qty.</u>
2-022-A-017	16	1-023-D-009	Mason Jar ✓	2
1-023-D-009	<i>mfg</i>	1-023-E-507	Refractive Index Fluid Pump	2
2-023-A-141	<i>mfg</i>	1-023-C-130	Spring, Compression	1
1-023-C-180-1	<i>mfg</i>	1-023-D-019 1-023-D-020 1-023-D-021 1-023-D-022	Platen Assembly	1
1-023-C-180-2	<i>mfg</i>	1-023-D-023	Platen Assembly	1
1-023-C-180-3	<i>mfg</i>	1-023-D-024	Platen Assembly	1

STAT

DIMENSIONS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES ± ± ± MATL FIN.	DR	NAME	DEPOT SPARE PARTS KIT BRIEFING PRINT ENLARGER	
	CHK			
	APPD			
	ENGR			
	ENGR			
		SCALE OF ORIG DWG	NO.	
	DWG SIZE			1-023-A-544

APPLICATION		2D XT	REV. IONS		APPROVAL
NEXT ASSY	US	Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6			
Part No.	Item No.	Used On	Description	Qty.	
1-023-C-231-1	11 <i>hyf</i>	1-023-E-025	Red Filter	6	
1-023-C-231-2	13 <i>hyf</i>	1-023-E-025	Blue Filter	6	
1-023-C-231-3	12 <i>hyf</i>	1-023-E-025	Green Filter	6	
2-023-D-266	4	1-023-E-262	Diffuser, Viewer	1	
2-023-D-316	<i>hyf</i>	1-023-E-001	Platen	1	
1-023-C-330	<i>hyf</i>	1-023-E-006	Lamphouse Platen Assembly	1	
2-023-C-333		1-023-E-006	Shroud — ?	1	
2-023-A-336	<i>hyf</i>	1-023-E-006	Spring, Platen	2	
2-023-B-341	<i>hyf</i>	1-023-E-006	Gate Spring	2	
2-023-B-410	<i>hyf</i>	1-023-D-405 1-023-D-406	Flat Spring	8	
2-023-A-422		1-023-E-006	Lamphouse Air Filter ?	12	
2-023-C-451-1	<i>hyf</i>	1-023-E-484	Brush	? 12	
2-023-C-451-2	<i>hyf</i>	1-023-E-459	Brush	? 12	
2-023-A-524	<i>Stock</i>	1-023-E-001	Flexible Tubing Corp., Flexoust Glashose, 4 In.	25 ft.	
1-023-E-525	<i>hyf</i>	1-023-E-001	Easel Dark Screen Assembly	1	
	14 <i>Stock</i>	1-023-E-263	Ballast, GE #89G489	2	
	32 <i>Stock</i>	1-023-E-025	Belt, Arthur Brown Mfg. Co., Round, Neoprene Cover, Nylon Webbing - 1/8 Dia. - Inside Circumf. = 14 1/2 ± 1/32		
	60	1-023-E-253	Belt, PIC #FA 252	1	
	59 <i>Stock</i>	1-023-E-253	Belt, PIC #FA 189	1	
	52	1-023-E-253	Belt, PIC #FA 158	1	

STAT

STAT LESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES ± ± ± MATL FIN.	DR	NAME	DEPOT SPARE PARTS KIT BRIEFING PRINT ENLARGER
	CHK		
	APPD		
	ENGR		
	ENGR		
		SCALE OF ORIG DWG	NO. 1-023-A-544

APPLICATION		REV		ONS	
NEXT ASSY	USED ON	APPROVED FOR RELEASE 2004/11/30 : CIA-RDP78B04770A000500010001-6	DATE	APPROVAL	
Part No.	Item No.	Used On	Description	Qty.	
	18	1-023-E-003	Belt, U.S. Rubber #322-L-075	2	
		1-023-E-005	Belt, U.S. Rubber #187-L-050	2	
		1-023-E-005	Belt, U.S. Rubber #130-XL-037	1	
		1-023-E-005	Belt, U.S. Rubber #150-XL-037	1	
		1-023-E-005	Belt, U.S. Rubber #220-XL-037	1	
		1-023-E-001	Blower, Fasco #190810V6AD150	1	
	47	1-023-E-002	Brake, Simplatrol #B60	1	
		1-023-E-005	Capacitor, Bodine #N3204	1	
		1-023-E-005	Clutch, Simplatrol #FFK-50	1	
		1-023-E-006	Connector, Cannon #DEM-9-S	1	
		1-023-E-026	Connector, Cannon #DEM-9-P	1	
		1-023-E-027			
		1-023-E-028			
		1-023-E-029			
		1-023-E-030			
		1-023-E-031			
	2	1-023-D-417	Diode, Texas Instr. #1N-457	10	
		1-023-E-001	Flexflyte Tubing Corp., U-1 Fiberglass, Neoprene Impreg., 3 In. Dia., Cat. #FT-167-12	36 ft.	
		1-023-E-001	Flexflyte Tubing Corp., U-1 Fiberglass, Neoprene Impreg., 7 In. Dia., Cat. No. FT-167-28	24 ft.	
	24	1-023-E-262	Fluorescent Lamps, GE #58T5-CW	5	
	13	1-023-E-263	Fluorescent Starters, GE #FS-2	5	
		1-023-E-001	Fuse, 1.0A, Littlefuse #312001	5	

STAT

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON DIMENSIONS DECIMALS ANGLES ± ± ± UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON DIMENSIONS DECIMALS ANGLES ± ± ±	DR [] CHK [] APPD [] ENGR [] ENGR [] [] []	NAME DEPOT SPARE PARTS KIT BRIEFING PRINT ENLARGER []	NO. 1-023-A-544
--	---	---	--------------------

Part No.	Item No.	Used On	Description	Qty.
	29	1-023-E-419	Fuse, 15A, 250V, Bussman #NON15	5
	56	1-023-E-419	Fuse, 5A, Littlefuse #313005	5
	10	1-023-E-419	Fuse, 1/8A, Littlefuse #312125	5
		1-023-C-496	Fuse, 2A, Littlefuse #313002	5
		1-023-C-496	Fuse, 1/2A, Littlefuse #313500	5
		1-023-E-005	Lamp, GE #1889	12
		1-023-E-026	Lamp, GE #CRA, 120V, 300W	6
		1-023-E-027		
		1-023-E-028		
		1-023-E-029		
		1-023-E-030		
		1-023-E-031		
		2-023-C-377	Lamps, Decitrak Readout, Theta	50
		2-023-C-378	Instr. Corp., #A-1720-28	
		1-023-E-484	Lamp, GE Quartzline #1600TC Q/CL	2
15		1-023-E-448	Lamp, Miniature, 14V, GE #330	12
16		1-023-E-448	Lamp, Miniature, Neon, GE #NE-2D	12
20		1-023-E-003	Motor, Bodine D.C. Shunt #B2410-10H	1
		1-023-E-005	Motor, Bodine #B2258EO6	1
		1-023-E-025	Motor, Barber Colman Type MYAZ, #MZAA 198-150, Geared Brake, CCW Rot.	1
		1-023-E-507	Motor Driven Variac - General Radio #W5D64CK	1
		1-023-E-518	Motor, U.S. Electrical Motors, Model 1014, Frame 184, Type H, 3 HP, 3 ϕ , 208/220/440V, 50/60N, 3000/3600 rpm.	1

STAT OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES DIMENSIONS ON DIMENSIONS DECIMALS ANGLES L	DR	NAME	STAT DEPT SPARE PARTS KIT BRIEFING PRINT ENLARGER
	CHK		
	APPD		
	ENGR		
	ENGR		
	DWG	SCALE OF ORIG DWG	NO.

APPLICATION		QD XT	REVISIONS	
NEXT ASSY	US Approved	For Release 2004/11/30	CIA-RDP78B04770A000500010001-6	APPROVAL

Part No.	Item No.	Used On	Description	Qty.
	3	1-023-E-419	Rectifier, Automatic Electric #PA-97	1
	4	1-023-E-419	Relay, 115VAC, Potter & Brumfield #KRP 14AG	2
	5	1-023-E-419	Relay, 115VAC, Potter & Brumfield #KHP 17A11	4
	6	1-023-E-419	Relay, Time Delay, 0.1 to 10.0 Sec., Potter & Brumfield #CDB-38-70014	1
	7	1-023-E-484	Sockets, #ALI-8817-02	2
		1-023-E-005	Speed Reducer, Metron #11B120S	1
	37	1-023-E-507	Switch, Cutler-Hammer #8896 Pistol Grip, Single Pole	1
	3 <i>Stack</i>	1-023-C-448	Timer, Lektra Laboratories, Inc. #TM-8	1
<i>Small - Long Lead?</i>		1-023-E-002	Torque Motor, Elinco #GLJRD-1015-820	1

STAT LESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES ± ± ± MATL FIN.	DR		NAME	
	CHK		DEPOT SPARE PARTS KIT	
	APPD		BRIEFING PRINT ENLARGER	
	ENGR			
	ENGR			
		DWG	SCALE OF ORIG DWG	NO. 1-023-A-511

APPLICATION		REQD	REVISIONS	
NEXT ASSY	US Approved	Next	2004/11/30 : CIA-RDP78B04770A000500010001-6	APPROVAL

1-023-E-001

1

STAT Depot Spares list - Approx [] including Photometer Depot list. { 75-80% mfg parts }
 Purchased parts carry no part number. { 60% set-up }
 { 40% run }

DEPOT SPARE PARTS KIT

BRIEFING PRINT ENLARGER

Part No.	Item No.	Used On	Description	Qty.
2-022-A-017	16	1-023-D-009	Mason Jar	2
1-023-D-009	23	1-023-E-507	Refractive Index Fluid Pump	2
2-023-A-141	3	1-023-C-130	Spring, Compression	1
1-023-C-180-1	3	1-023-D-019	Platen Assembly	1
" " " "	3	1-023-D-020	} 6 mm thick metal adapter + cemented glass.	}
" " " "	8	1-023-D-021		
" " " "	3	1-023-D-022		
" " " "	3			
1-023-C-180-2	3	1-023-D-023	Platen Assembly 4 mm "	1
1-023-C-180-3	3	1-023-D-024	Platen Assembly 3 mm "	1
1-023-C-231-1	11	1-023-E-025	Red Filter	6
1-023-C-231-2	13	1-023-E-025	Blue Filter	6
1-023-C-231-3	12	1-023-E-025	Green Filter	6

STAT

STAT UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES + + + MATL FIN.	DR	NAME		DEPOT SPARE PARTS KIT BRIEFING PRINT ENLARGER
	CHK			
	APPD			
	ENGR			
	ENGR			
	REL DATE	DWG SIZE A	SCALE OF ORIG DWG	NO. 1-023-A-544
			WT	CODE
				SHEET 1 of 5

APPLICATION		REQD NEXT	REVISIONS	
NEXT ASSY	Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6			
Part No.	Item No.	Used On	Description	Qty.
1-023-C-231-4	61	1-023-E-025	Kodak Polycontrast Acetate Filter <i>PC1</i>	6
1-023-C-231-5	62	1-023-E-025	Kodak Polycontrast Acetate Filter <i>PC1 1/2</i>	6
1-023-C-231-6	63	1-023-E-025	Kodak Polycontrast Acetate Filter <i>PC2</i>	6
2-023-D-266	4	1-023-E-262	Diffuser, Viewer	1
2-023-D-316	42	1-023-E-001	Platen (<i>Easel Face</i>)	1
1-023-C-330	5	1-023-E-006	Lamphouse Platen Assembly	1
2-023-C-333	30	1-023-E-006	Shroud (<i>Fluid Container</i>)	1
2-023-A-336	8	1-023-E-006	Spring, Platen	2
2-023-B-341	3	1-023-E-006	Gate Spring	2
2-023-B-410	8	1-023-D-405	Flat Spring	8
	4	1-023-D-406		
	4			
2-023-A-422	46	1-023-E-00	Lamphouse Air Filter	12
2-023-C-579-1	12	1-023-E-484	Brush	12
2-023-C-579-2	9	1-023-E-459	Brush	12
2-023-A-524	66	1-023-E-001	Flexible Tubing Corp., Flexoust Glashose, 4 In.	25 ft.
1-023-E-525	67	1-023-E-001	Easel Dark Screen Assembly	1
	14	1-023-E-263	Ballast, GE #89C489	2
	32	1-023-E-025	Belt, Arthur Brown Mfg. Co., Round, Neoprene Cover, Nylon Webbing - 1/8 Dia. - Inside Circumf. = $15 \pm 1/32$	
	60	1-023-E-253	Belt, PIC #FA 252	1
	59	1-023-E-253	Belt, PIC #FA 189	1
	52	1-023-E-253	Belt, PIC #FA 158	1

STAT

STAT

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES DECIMALS ANGLES TOLERANCES	D		NAME DEPOT SPARE PARTS KIT BRIEFING PRINT ENLARGER	
	CHK			
	APPD			
	ENGR			
	ENGR			
		DWG SIZE A	NO. 1-023-A-544	
	REL DATE	WT	CODE	SHEET 2

APPLICATION		REQD NEXT	REVISIONS	
XT ASSY	SECTION	ASSY	CH	DATE
Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6		APPROVAL		

Part No.	Item No.	Used On	Description	Qty.
	18	1-023-E-003	Belt, U.S. Rubber #322-L-075	2
	41	1-023-E-005	Belt, U.S. Rubber #187-L-050	2
	42	1-023-E-005	Belt, U.S. Rubber #130-XL-037	1
	43	1-023-E-005	Belt, U.S. Rubber #150-XL-037	1
	44	1-023-E-005	Belt, U.S. Rubber #220-XL-037	1
	77	1-023-E-001	Flower, Fasco #190810V6AD150 (Fume exhaust)	
	47	1-023-E-002	Brake, Simplatrol #B60 (Transport)	1
	40	1-023-E-005	Capacitor, Bodine #N3204 (Fanal Drive)	1
	48	1-023-E-005	Clutch, Simplatrol #FFK-50 (" ")	1
	52	1-023-E-006	Connector, Cannon #DEM-9-S	1
	24	1-023-E-026	Connector, Cannon #DEM-9-P	1
	24	1-023-E-027		
	24	1-023-E-028		
	24	1-023-E-029		
	38	1-023-E-030		
	32	1-023-E-031		
	2	1-023-D-417	Diode, Texas Instr. #1N-457 (Super machine)	10
	81	1-023-E-001	Flexflyte Tubing Corp., U-1 Fiberglass, Neoprene Impreg., 3 In. Dia., Cat. #FT-167-12	36 ft.
	80	1-023-E-001	Flexflyte Tubing Corp., U-1 Fiberglass, Neoprene Impreg., 7 In. Dia., Cat. No. FT-167-28	24 ft.
	24	1-023-E-262	Fluorescent Lamps, GE #58T5-CW	5
	13	1-023-E-263	Fluorescent Starters, GE #FS-2	5
		1-023-B-011	Fuse, 1.0A, Littlefuse #312001	5

STAT

STAT

OTHERWISE SPECIFIED DIMENSIONS IN INCHES SECTION DIMENSIONS ANGLES	NAME		
	DEPOT SPARE PARTS KIT		
	BRIEFING PRINT ENLARGER		
	SCALE OF ORIG DWG	NO.	1-023-A-544
	DWG SIZE	WT	CODE
REL DATE	A		SHEET 3

APPLICATION		REQD	REVISIONS	
EXT ASSY	USED ON	CHG	DATE	APPROVAL
Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6		CHG	DATE	APPROVAL

Part No.	Item No.	Used On	Description	Qty.
	29	1-023-E-419	Fuse, 15A, 250V, Bussman #NON15	5
	56	1-023-E-419	Fuse, 5A, Littlefuse #313005	5
	10	1-023-E-419	Fuse, 1/8A, Littlefuse #312125	5
		1-023-C-496	Fuse, 2A, Littlefuse #313002	5
		1-023-C-496	Fuse, 1/2A, Littlefuse #313500	5
	49	1-023-E-005	Lamp, GE #1889	12
	22	1-023-E-026	Lamp, GE #CRA, 120V, 300W	6
	22	1-023-E-027		
	22	1-023-E-028		
	22	1-023-E-029		
	35	1-023-E-030		
	26	1-023-E-031		
		2-023-C-377	Lamps, Decitrak Readout, Theta	50
		2-023-C-378	Instr. Corp., #A-1728-14 (74 per machine)	
	16	1-023-E-484	Lamp, GE Quartzline #1600TC Q/CL	2
	15	1-023-E-448	Lamp, Miniature, 14V, GE #330	12
	20	1-023-E-003	Motor, Bodine D.C. Shunt #B2410-10H	1
	39	1-023-E-005	Motor, Bodine #B2258E06	1
	31	1-023-E-025	Motor, Barber Colman Type MYAZ, #MZAA 198-130, Geared Mechanical Brake, CCW Rot.	1
1-023-E-444	3	1-023-E-507	Motor Driven Variac - General Radio #W5D64CK	1
		1-023-E-518	Motor, U.S. Electrical Motors, Model 1014, Frame 184, Type H, 3 HP, 3 φ, 208/220/440V, 50/60N, 3000/3600 rpm.	1

Condenser
Lamps

Exhaust

STAT

STAT

OTHERWISE SPECIFIED	D	NAME		
IN INCHES	CHK	DEPOT SPARE PARTS KIT		
ON	APPD	BRIEFING PRINT ENLARGER		
ANGLES	ENGR			
	ENGR			
		SCALE OF ORIG DWG	NO.	
			1-023-A-544	
REL DATE	DWG SIZE	WT	CODE	SHEET 4
	A			

APPLICATION		REQD NEXT	REVISIONS	
NEXT ASSY	USED ON	CHG	DATE	APPROVAL
Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6				

Part No.	Item No.	Used On	Description	Qty.
	3	1-023-E-419	Rectifier, Automatic Electric #PA-97	1
	4	1-023-E-419	Relay, 115VAC, Potter & Brumfield #KRP 14AG	2
	5	1-023-E-419	Relay, 115VAC, Potter & Brumfield #KHP 17A11	4
	6	1-023-E-419	Relay, Time Delay, 0.1 to 10.0 Sec., Potter & Brumfield #CDB-38-70014	1
		1-023-E-484	Sockets, #ALI-8817-02	2
		1-023-E-005	Speed Reducer, Metron #11B120S	1
37		1-023-E-458	Switch, Cutler-Hammer #8896 Pistol Grip, Single Pole	1
	3	1-023-C-448	Timer, Lektra Laboratories, Inc. #TM-8	1
		1-023-E-002	Torque Motor, Elinco #GLJRN-1015-820	1

STAT

STAT

OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED ANGLES	DR	NAME	
	CHK	DEPOT SPARE PARTS KIT	
	APPD	BRIEFING PRINT ENLARGER	
	ENGR		
	ENGR		
		SCALE OF ORIG DWG	NO.
	DWG SIZE		1-023-A-544
REL DATE	A	WT	CODE
			SHEET 5

APPLICATION

REQD

REVISIONS

NEXT ASSY

USED ON

NEXT ASSY

CHG NO

SYM

DESCRIPTION

DATE

APPROVAL

1-023-E-001

1

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

DEPOT SPARE PARTS KIT

BRIEFING PRINT ENLARGER

Part No.	Item No.	Used On	Description	Qty.
1-022-A-017	16	1-023-D-009	Mason Jar	2
1-023-D-009	23	1-023-E-507	Refractive Index Fluid Pump	2
1-023-A-141	3	1-023-C-130	Spring, Compression	1
1-023-C-180-1	3	1-023-D-019	Platen Assembly	1
" " " "	3	1-023-D-020		
" " " "	8	1-023-D-021		
" " " "	3	1-023-D-022		
" " " "	3			
1-023-C-180-2	3	1-023-D-023	Platen Assembly	1
1-023-C-180-3	3	1-023-D-024	Platen Assembly	1
1-023-C-231-1	11	1-023-E-025	Red Filter	6
1-023-C-231-2	13	1-023-E-025	Blue Filter	6
1-023-C-231-3	12	1-023-E-025	Green Filter	6

STAT

STAT

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES ± ± ± MATL FIN.	DR	NAME DEPOT SPARE PARTS KIT BRIEFING PRINT ENLARGER	
	CHK		
	APPD		
	ENGR		
	ENGR		
	SCALE OF ORIG DWG	NO. 1-023-A-544	
REL DATE	DWG SIZE A	WT	CODE SHEET 1 of 5

APPLICATION		REQD NEXT	REVISIONS	
XT ASSY	Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6			
Part No.	Item No.	Used On	Description	Qty.
1-023-C-231-4	61	1-023-E-025	Kodak Polycontrast Acetate Filter	6
1-023-C-231-5	62	1-023-E-025	Kodak Polycontrast Acetate Filter	6
1-023-C-231-6	63	1-023-E-025	Kodak Polycontrast Acetate Filter	6
2-023-D-266	4	1-023-E-262	Diffuser, Viewer	1
2-023-D-316	42	1-023-E-001	Platen	1
1-023-C-330	5	1-023-E-006	Lamphouse Platen Assembly	1
2-023-C-333	30	1-023-E-006	Shroud	1
2-023-A-336	8	1-023-E-006	Spring, Platen	2
2-023-B-341	3	1-023-E-006	Gate Spring	2
2-023-B-410	8	1-023-D-405	Flat Spring	8
	4	1-023-D-406		
	4			
2-023-A-422	46	1-023-E-00	Lamphouse Air Filter	12
2-023-C-579-1	12	1-023-E-484	Brush	12
2-023-C-579-2	9	1-023-E-459	Brush	12
2-023-A-524	66	1-023-E-001	Flexible Tubing Corp., Flexoust Glashose, 4 In.	25 ft.
1-023-E-525	67	1-023-E-001	Easel Dark Screen Assembly	1
	14	1-023-E-263	Ballast, GE #89G489	2
	32	1-023-E-025	Belt, Arthur Brown Mfg. Co., Round, Neoprene Cover, Nylon Webbing - 1/8 Dia. - Inside Circumf. = 7 1/2 ± 1/32	
	60	1-023-E-253	Belt, PIC #FA 252	1
	59	1-023-E-253	Belt, PIC #FA 189	1
	52	1-023-E-253	Belt, PIC #FA 158	1

STAT

STAT

DR			XMT	
CHK			DEPOT SPARE PARTS KIT	
APPD			BRIEFING PRINT ENLARGER	
ENGR				
ENGR				
	DWG SIZE	SCALE OF ORIG DWG	NO. 1-023-A-544	
REL DATE	A	WT	CODE	QUANTITY 2

APPLICATION		REQD NEXT	REVISIONS	
EXT ASSY	Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6	DATE	APPROVAL	

Part No.	Item No.	Used On	Description	Qty.
	18	1-023-E-003	Belt, U.S. Rubber #322-L-075	2
	41	1-023-E-005	Belt, U.S. Rubber #187-L-050	2
	42	1-023-E-005	Belt, U.S. Rubber #130-XL-037	1
	43	1-023-E-005	Belt, U.S. Rubber #150-XL-037	1
	44	1-023-E-005	Belt, U.S. Rubber #220-XL-037	1
	77	1-023-E-001	Blower, Fasco #190810V6AD150	1
	47	1-023-E-002	Brake, Simplatrol #B60	1
	40	1-023-E-005	Capacitor, Bodine #N3204	1
	48	1-023-E-005	Clutch, Simplatrol #FFK-50	1
	52	1-023-E-006	Connector, Cannon #DEM-9-S	1
	24	1-023-E-026	Connector, Cannon #DEM-9-P	1
	24	1-023-E-027		
	24	1-023-E-028		
	24	1-023-E-029		
	38	1-023-E-030		
	32	1-023-E-031		
	2	1-023-D-417	Diode, Texas Instr. #1N-457	10
	81	1-023-E-001	Flexflyte Tubing Corp., U-1 Fiberglass, Neoprene Impreg., 3 In. Dia., Cat. #FT-167-12	36 ft.
	80	1-023-E-001	Flexflyte Tubing Corp., U-1 Fiberglass, Neoprene Impreg., 7 In. Dia., Cat. No. FT-167-28	24 ft.
	24	1-023-E-262	Fluorescent Lamps, GE #58T5-CW	5
	13	1-023-E-263	Fluorescent Starters, GE #FS-2	5
		1-023-B-011	Fuse, 1.0A, Littlefuse #312001	5

STAT

STAT

OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED DECIMALS ANGLES	D		NAME		
	CHK		DEPOT SPARE PARTS KIT		
	APPD		BRIEFING PRINT ENLARGER		
	ENGR				
	ENGR				
		DWG SIZE	SCALE OF ORIG DWG	NO.	
		A	WT	1-023-A-544	
REL DATE				CODE	SHEET 3

APPLICATION		REQ. NEXT	REVISIONS	
NEXT ASSY	USED ON	ASSY	DATE	APPROVAL
	Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6			

Part No.	Item No.	Used On	Description	Qty.
	29	1-023-E-419	Fuse, 15A, 250V, Bussman #NON15	5
	56	1-023-E-419	Fuse, 5A, Littlefuse #313005	5
	10	1-023-E-419	Fuse, 1/8A, Littlefuse #312125	5
		1-023-C-496	Fuse, 2A, Littlefuse #313002	5
		1-023-C-496	Fuse, 1/2A, Littlefuse #313500	5
	49	1-023-E-005	Lamp, GE #1889	12
	22	1-023-E-026	Lamp, GE #CRA, 120V, 300W	6
	22	1-023-E-027		
	22	1-023-E-028		
	22	1-023-E-029		
	35	1-023-E-030		
	26	1-023-E-031		
		2-023-C-377	Lamps, Decitrak Readout, Theta	50
		2-023-C-378	Instr. Corp., #A-1728-14	
	16	1-023-E-484	Lamp, GE Quartzline #1600TC Q/CL	2
	15	1-023-E-448	Lamp, Miniature, 14V, GE #330	12
	20	1-023-E-003	Motor, Bodine D.C. Shunt #B2410-10H	1
	39	1-023-E-005	Motor, Bodine #B2258E06	1
	31	1-023-E-025	Motor, Barber Colman Type MYAZ, #MZAA 198-130, Geared Mechanical Brake, CCW Rot.	1
1-023-E-444	3	1-023-E-507	Motor Driven Variac - General Radio #W5D64CK	1
		1-023-E-518	Motor, U.S. Electrical Motors, Model 1014, Frame 184, Type H, 3 HP, 3 ϕ , 208/220/440V, 50/60N, 3000/3600 rpm.	1

STAT	UNLESS OTHERWISE SPECIFIED	NAME		STAT	
	ALL DIMENSIONS ARE IN INCHES	DEPOT SPARE PARTS KIT			
	ALL DIMENSIONS ON	BRIEFING PRINT ENLARGER			
	ALL DIMENSIONS IN DECIMALS - ANGLES				
	DATE				
	CHK	SCALE OF ORIG DWG		NO. 1-023-A-544	
	APPD	WT			
	ENGR	CODE			
	ENGR	SHEET 4			
	REL DATE	DWG SIZE A			

APPLICATION		REQD	REVISIONS			
NEXT ASSY	USED ON	NEXT ASSY	CHG NO	DATE	APPROVAL	
Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6						
Part No.	Item No.	Used On	Description	Qty.		
	3	1-023-E-419	Rectifier, Automatic Electric #PA-97	1		
	4	1-023-E-419	Relay, 115VAC, Potter & Brumfield #KRP 14AG	2		
	5	1-023-E-419	Relay, 115VAC, Potter & Brumfield #KHP 17A11	4		
	6	1-023-E-419	Relay, Time Delay, 0.1 to 10.0 Sec., Potter & Brumfield #CDB-38-70014	1		
		1-023-E-484	Sockets, #ALI-8817-02	2		
		1-023-E-005	Speed Reducer, Metron #11B120S	1		
	37	1-023-E-458	Switch, Cutler-Hammer #8896 Pistol Grip, Single Pole	1		
	3	1-023-C-448	Timer, Lektra Laboratories, Inc. #TM-8	1		
		1-023-E-002	Torque Motor, Elinco #GLJRND-1015-820	1		

OTHERWISE SPECIFIED: WEAR SURFACES HOLDING DIMENSIONS ANGLES	DR	NAME DEPOT SPARE PARTS KIT BRIEFING PRINT ENLARGER	NO. 1-023-A-544
	CHK		
	APPD		
	ENGR		
	ENGR		
	DWG SIZE A	SCALE OF ORIG DWG	WT
REL DATE		CODE	SHEET 5

RECOMMENDED 30 DAY "FLY-AWAY" SPARE PARTS KIT
FOR EACH EP-1000B EASEL PHOTOMETER

I. GENERAL

It is understood that the components recommended in the 30 Day "Fly-Away" Spare Parts Kit will be used in the event that minor field repairs become necessary. It is further understood that these repairs can be made by an operator using simple tools such as a screw driver and pliers, but not technician tools such as test equipment and soldering iron.

II. RECOMMENDED 30 DAY "FLY-AWAY" SPARE PARTS KIT

<u>Item No.</u>	<u>Quantity</u>	<u>Part Number</u>	<u>Description</u>
1	1	MC-46000000	Tube; V-103: 12AU7A
2	1	MC-46000001	Tube; V-104: 6GW6A or 6DQ6B
3	1	MC-46000002	Tube; V-101: 1B3
4	1	MC-46000003	Tube; V-102: 6X4
5	1	MC-46000004	Tube; V-105: 0A2
6	1	MC-46000005	Tube; V-106: 5651
7	1	MC-46000019	"Selected" Photomultiplier Tube
8	1 Box	MC-31010001	Fuse, 1 Amp-#3AG-Slo-Blo (250 V.)
9	1	MC-20006002	Antifatigue Lamp; I-104: G.E. #755
10	1	MC-20006002	Master Lamp; I-101: G.E. #755
11	2	MC-20014000	Bank Indicator Lamps; I-102 & I-103: G.E. #1487
12	1	MC-29000660	Fiber Optics Subassembly
13	1	MC-29000670	Aperture Probe Assembly with Fiber Optics
14	4	MC-51000100	Ball, Nylon, Detent
15	4	MC-50000400	Spring, Ball Detent

Price: per kit STAT

**RECOMMENDED 30 DAY "FLY-AWAY" SPARE PARTS KIT
FOR EACH EP-1000B EASEL PHOTOMETER**

I. GENERAL

It is understood that the components recommended in the 30 Day "Fly-Away" Spare Parts Kit will be used in the event that minor field repairs become necessary. It is further understood that these repairs can be made by an operator using simple tools such as a screw driver and pliers, but not technician tools such as test equipment and soldering iron.

II. RECOMMENDED 30 DAY "FLY-AWAY" SPARE PARTS KIT

<u>Item No.</u>	<u>Quantity</u>	<u>Part Number</u>	<u>Description</u>
1	1	MC-46000000	Tube; V-103: 12AU7A
2	1	MC-46000001	Tube; V-104: 6GW6A or 6DQ6B
3	1	MC-46000002	Tube; V-101: 1B3
4	1	MC-46000003	Tube; V-102: 6X4
5	1	MC-46000004	Tube; V-105: OA2
6	1	MC-46000005	Tube; V-106: 5651
7	1	MC-46000019	"Selected" Photomultiplier Tube
8	1 Box	MC-31010001	Fuse, 1 Amp-#3AG-Slo-Blo (250 V.)
9	1	MC-20006002	Antifatigue Lamp; I-104: G.E. #755
10	1	MC-20006002	Meter Lamp; I-101: G.E. #755
11	2	MC-20014000	Bank Indicator Lamps; I-102 & I-103: G.E. #1487
12	1	MC-29000660	Fiber Optics Subassembly
13	1	MC-29000670	Aperture Probe Assembly with Fiber Optics
14	4	MC-51000100	Ball, Nylon, Detent
15	4	MC-50000400	Spring, Ball Detent

Price: per kit

STAT

APPLICATION

REQD
TEXT

RI SIONS

NEXT ASSY

USED

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

APPROVAL

1-023-E-001

1

TBS w/ each instrument.

FLYAWAY SPARE PARTS KIT

BRIEFING PRINT ENLARGER

<u>Part No.</u>	<u>Item No.</u>	<u>Used On</u>	<u>Description</u>	<u>Qty.</u>
2-022-A-017	16	1-023-D-009	Mason Jar	1
1-023-C-231-1	11	1-023-E-025	Red Filter	1
1-023-C-231-2	13	1-023-E-025	Blue Filter	1
1-023-C-231-3	12	1-023-E-025	Green Filter	1
2-023-A-422		1-023-E-006	Lamphouse Air Filter	6
2-023-C-451-1		1-023-E-484	Brush	6
2-023-C-451-2		1-023-E-459	Brush	6

STAT

OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES ± ± ± MATL	D		NAME	
	CHK		FLYAWAY SPARE PARTS KIT	
	APPD		BRIEFING PRINT ENLARGER	
	ENGR			
	ENGR			
			SCALE OF ORIG DWG	NO.
		DWG SIZE		1-023-A-513

Part No.	Item No.	Used On	Description	Qty.
	2	1-023-E-417	Diode, Texas Instr. #IN-457	5
		1-023-E-001	Fuse, 1.0A, Littlefuse #312001	1
	29	1-023-E-419	Fuse, 15A, 250V, Bussman #NON15	1
	10	1-023-E-419	Fuse, 1/8A, Littlefuse #312125	1
	56	1-023-E-419	Fuse, 5A, Littlefuse #313005	1
		1-023-C-496	Fuse, 1/2A, Littlefuse #313500	1
		1-023-C-496	Fuse, 2A, Littlefuse #313002	1
		1-023-E-005	Lamp, GE #1889	12
		1-023-E-026	Lamp, GE #CRA- 120V, 300W	2
		1-023-E-027		
		1-023-E-028		
		1-023-E-029		
		1-023-E-030		
		1-023-E-031		
		2-023-C-377	Lamps, Decitrak Readout, Theta	12
		2-023-C-378	Instr. Corp. #A-1720-28	
15		1-023-E-448	Lamp, Miniature, 14V, GE #330	12
16		1-023-E-448	Lamp, Miniature, Neon GE #NE-2D	12
		1-023-E-484	Lamp, GE Quartzline #1500 TC Q/CL	1
4		1-023-E-419	Relay, 115V, 60C, Potter & Brumfield #KRP14AG	1
5		1-023-E-419	Relay, 115V, 60C, Potter & Brumfield #KHP17A11	2

LESS OTHERWISE SPECIFIED

ALL DIMENSIONS ARE IN INCHES

ALL DIMENSIONS ON

FRACTIONS DECIMALS ANGLES

± ± ±

SATL

IN.

D	
CHK	
APPD	
ENGR	
ENGR	

NAME	
FLYAWAY SPARE PARTS KIT	
BRIEFING PRINT ENLARGER	
SCALE OF	NO.
ORIG DWG	1-023-A-543

APPLICATION		REQD NEXT	REVISIONS		DATE	APPROVAL
EXT ASSY	USE	Approved For Release	2004/11/30 : CIA-RDP78B04770A000500010001-6	DESCRIPTION		
1-023-E-001						

FLYAWAY SPARE PARTS KIT

BRIEFING PRINT ENLARGER

Part No.	Item No.	Used On	Description	Qty.
1-022-A-017	16	1-023-D-009	Mason Jar	1
1-023-C-231-1	11	1-023-E-025	Red Filter	1
1-023-C-231-2	13	1-023-E-025	Blue Filter	1
1-023-C-231-3	12	1-023-E-025	Green Filter	1
1-023-C-231-4	61	1-023-E-025	Kodak Polycontrast Acetate Filter	1
1-023-C-231-5	62	1-023-E-025	Kodak Polycontrast Acetate Filter	1
1-023-C-231-6	63	1-023-E-025	Kodak Polycontrast Acetate Filter	1
2-023-A-422	46	1-023-E-001	Lamphouse Air Filter	6
2-023-C-579	12	1-023-E-484	Brush	6
2-023-C-579	9	1-023-E-459	Brush	6

STAT		NAME		STAT	
LESS OTHERWISE SPECIFIED		FLYAWAY SPARE PARTS KIT			
DIMENSIONS ARE IN INCHES		BRIEFING PRINT ENLARGER			
DIMENSIONS ON					
DIMENSIONS DECIMALS ANGLES					
MATERIAL					
FINISH					
REL DATE		SCALE OF ORIG DWG		NO.	
A		WT		1-023-A-543	
		CODE		SHEET 1 of 2	

APPLICATION		REQD NEXT	REVISIONS	
TEXT ASSY	USED ON	ASSY	CHG	DATE
Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6				

Part No.	Item No.	Used On	Description	Qty.
	2	1-023-E-417	Diode, Texas Instr. #IN-457	5
		1-023-B-011	Fuse, 1.0A, Littlefuse #312001	1
	29	1-023-E-419	Fuse, 15A, 250V, Bussman #NON15	1
	10	1-023-E-419	Fuse, 1/8A, Littlefuse #312125	1
	56	1-023-E-419	Fuse, 5A, Littlefuse #313005	1
		1-023-C-496	Fuse, 1/2A, Littlefuse #313500	1
		1-023-C-496	Fuse, 2A, Littlefuse #313002	1
	49	1-023-E-005	Lamp, GE #1889	12
	22	1-023-E-026	Lamp, GE #CRA- 120V, 300W	2
	22	1-023-E-027		
	22	1-023-E-028		
	22	1-023-E-029		
	35	1-023-E-030		
	26	1-023-E-031		
		2-023-C-377	Lamps, Decitrak Readout, Theta	12
		2-023-C-378	Instr. Corp. #A-1728-14	
	15	1-023-E-448	Lamp, Miniature, 14V, GE #330	12
	16	1-023-E-484	Lamp, GE Quartzline #1500 TC Q/CL	1
	4	1-023-E-419	Relay, 115V, 60C, Potter & Brumfield #KRP14AG	1
	5	1-023-E-419	Relay, 115V, 60C, Potter & Brumfield #KHP17A11	2

STAT

STAT

OTHERWISE SPECIFIED ARE IN INCHES ON DECIMALS ANGLES	D		AME	FLYAWAY SPARE PARTS KIT BRIEFING PRINT ENLARGER
	CHK			
	APPD			
	ENGR			
	ENGR			
			SCALE OF ORIG DWG	NO.
		DWG SIZE		1-023-A-543
	REL DATE	A	WT	CODE
				SHEET 2

APPLICATION		REQD	REVISIONS			
NEXT ASSY	USED ON	ASSY	CHK	NO	DATE	APPROVAL
1-023-E-001	Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6					

FLYAWAY SPARE PARTS KIT
BRIEFING PRINT ENLARGER

<u>Part No.</u>	<u>Item No.</u>	<u>Used On</u>	<u>Description</u>	<u>Qty.</u>
2-022-A-017	16	1-023-D-009	Mason Jar	1
1-023-C-231-1	11	1-023-E-025	Red Filter	1
1-023-C-231-2	13	1-023-E-025	Blue Filter	1
1-023-C-231-3	12	1-023-E-025	Green Filter	1
1-023-C-231-4	61	1-023-E-025	Kodak Polycontrast Acetate Filter	1
1-023-C-231-5	62	1-023-E-025	Kodak Polycontrast Acetate Filter	1
1-023-C-231-6	63	1-023-E-025	Kodak Polycontrast Acetate Filter	1
2-023-A-422	46	1-023-E-001	Lamphouse Air Filter	6
2-023-C-579	12	1-023-E-484	Brush	6
2-023-C-579	9	1-023-E-459	Brush	6

STAT

STAT

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS ON DECIMALS ANGLES ± ±	DR	NAME FLYAWAY SPARE PARTS KIT BRIEFING PRINT ENLARGER	NO. 1-023-A-543
	CHK		
	APPD		
	ENGR		
MATERIAL	ENGR	SCALE OF ORIG DWG	NO.
	ENGR		
FIN.		DWG SIZE A	WT
	REL DATE		
		CODE	SHEET 1 of 2

APPLICATION		REQD NEXT	REVISIONS	
EXT ASSY	Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6			DATE

Part No.	Item No.	Used On	Description	Qty.
	2	1-023-E-417	Diode, Texas Instr. #IN-457	5
		1-023-B-011	Fuse, 1.0A, Littlefuse #312001	1
	29	1-023-E-419	Fuse, 15A, 250V, Bussman #NON15	1
	10	1-023-E-419	Fuse, 1/8A, Littlefuse #312125	1
	56	1-023-E-419	Fuse, 5A, Littlefuse #313005	1
		1-023-C-496	Fuse, 1/2A, Littlefuse #313500	1
		1-023-C-496	Fuse, 2A, Littlefuse #313002	1
	49	1-023-E-005	Lamp, GE #1889	12
	22	1-023-E-026	Lamp, GE #CRA- 120V, 300W	2
	22	1-023-E-027		
	22	1-023-E-028		
	22	1-023-E-029		
	35	1-023-E-030		
	26	1-023-E-031		
		2-023-C-377	Lamps, Decitrak Readout, Theta	12
		2-023-C-378	Instr. Corp. #A-1728-14	
	15	1-023-E-448	Lamp, Miniature, 14V, GE #330	12
	16	1-023-E-484	Lamp, GE Quartzline #1500 TC Q/CL	1
	4	1-023-E-419	Relay, 115V, 60C, Potter & Brumfield #KRP14AG	1
	5	1-023-E-419	Relay, 115V, 60C, Potter & Brumfield #KHP17A11	2

STAT

STAT

OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED DECIMALS ANGLES	DR	NAME			
	CHK	FLYAWAY SPARE PARTS KIT			
	APPD	BRIEFING PRINT ENLARGER			
	ENGR				
		ENGR			
		DWG SIZE	SCALE OF ORIG DWG	NO.	
	REL DATE	A	WT	1-023-A-543	
				CODE	SHEET 2

**RECOMMENDED DEPOT SPARE PARTS LIST
FOR ONE EP-1000B EASEL PHOTOMETER**

Item	Quantity	Part Number	Description
1	4	MC-20006002	Lamp; I-101, I-104: G.E. #755
2	4	MC-20014000	Lamp; I-102, I-103: G.E. #1487
3	1	MC-46000000	Tube; V-103: 12AU7A
4	1	MC-46000001	Tube; V-104: 6GW6A or 6DQ6B
5	1	MC-46000002	Tube; V-101: 1B3
6	1	MC-46000003	Tube; V-102: 6X4
7	1	MC-46000004	Tube; V-105: 0A2
8	1	MC-46000005	Tube; V-106: 5651
9	2	MC-46000019	"Selected" Photomultiplier Tube
10	1 Box	MC-31010001	Fuse, 1 Amp-#3AG-S10-B10 (250 V.)
11	1	MC-43010106	Switch; SW101: AH&H #1561-QX1-5/8
12	1	MC-43020100	Pushbutton Switch; SW102: AH&H #3596BC
13	1	MC-43040300	Switch; SW103: Centrala #PA075
14	1	MC-44000100	Transformer, T-101-#M-124C
15	1	MC-24000300	Meter, M101, 0-4.0, 100 M, 6000 Ohms Imp., Weston
16	2	MC-41100001	Diode, Dual; CR101 & CR102: G.E. #6RS1GC1BX1
17	1	MC-41100000	Diode, Zener; CR103: Schauer #Z-78
18	1	MC-06200600	Capacitor; C101: Sprague #TVA-1709
19	1	MC-06100800	Capacitor; C102: Pyramid #CT16-P1
20	1	MC-06200700	Capacitor; C103: Sprague #TVA-1301

Item No.	Quantity	Part Number	Description
21	5	MC-36104003	Potentiometer; R106, R115, R116, R117, R118: 100K Ω , 2 Watt-AB #JAIN032S104UA
22	2	MC-36504000	Potentiometer; R137, R138: 500K-AB #91593 Type J
23	4	MC-36504001	Potentiometer; R139, R140, R141, R142: 500K-AB #90207, Type J
24	1	MC-36103002	Potentiometer; R119: 10K Ω , 2 Watt-AB #JAIN032S103UA
25	4	MC-36254001	Potentiometer; R120, R121, R122, R123: 250K Ω , 2 Watt-AB #JAIN032S254UA
26	1	MC-36252002	Potentiometer; R124: 2.5K Ω , 2 Watt-Ohmite Style CLU2521
27	1	MC-36902000	Resistor; R109: 9K Ω , 10 Watt-Koolohm
28	1	MC-09010002	Jack, Dynode, Red-J101: E.F. Johnson Co. #105-252-1
29	1	MC-09010001	Jack, Dynode, Black-J102: E.F. Johnson Co. #105-253-1
30	1	MC-10001310	Cable Assembly, P.M. Tube
31	1	MC-29000660	Fiber Optics Subassembly
32	1	MC-29000670	Aperture Probe Assembly
33	10	MC-49000020	Ring, Retaining-Filter
34	4	MC-51000100	Ball, Nylon, Detent
35	4	MC-50000400	Spring, Ball Detent
36	4	MC-51400700	Foot, Rubber-Atlantic India #1392
37	4	MC-37070500	#6-32 x 5/16 Lg. B.H.M.S.
38	1	MC-51400030	Grommet, Rubber-Atlantic India #2335
39	3	MC-51400040	Grommet, Rubber-Atlantic India #2286

<u>Item No.</u>	<u>Quantity</u>	<u>Part Number</u>	<u>Description</u>
40	2	MC-51400200	Grommet, Rubber-Atlantic India #230
41	1	MC-51400210	Grommet, Rubber-Atlantic India #828
42	1	MC-12000100	Strain Relief, Gripmaster, Insul. Type 2

Price: total

STAT

**RECOMMENDED DEPOT SPARE PARTS LIST
FOR ONE EP-1000B EASEL PHOTOMETER**

<u>Item No.</u>	<u>Quantity</u>	<u>Part Number</u>	<u>Description</u>
1	4	MC-20006002	Lamp; I-101, I-104: G.E. #755
2	4	MC-20014000	Lamp; I-102, I-103: G.E. #1487
3	1	MC-46000000	Tube; V-103: 12AU7A
4	1	MC-46000001	Tube; V-104: 6GW6A or 6DQ6B
5	1	MC-46000002	Tube; V-101: 1B3
6	1	MC-46000003	Tube; V-102: 6X4
7	1	MC-46000004	Tube; V-105: 0A2
8	1	MC-46000005	Tube; V-106: 5651
9	2	MC-46000019	"Selected" Photomultiplier Tube
10	1 Box	MC-31010001	Fuse, 1 Amp-#3AG-Slo-Blo (250 V.)
11	1	MC-43010106	Switch; SW101: AH&H #1561-QX1-5/8
12	1	MC-43020100	Pushbutton Switch; SW102: AH&H #3596BC
13	1	MC-43040300	Switch; SW103: Centrala #PA075
14	1	MC-44000100	Transformer, T-101-#M-124C
15	1	MC-24000300	Meter, M101, 0-4.0, 100 M, 6000 Ohms Imp., Weston
16	2	MC-41100001	Diode, Dual; CR101 & CR102: G.E. #6RS1GC1BX1
17	1	MC-41100000	Diode, Zener; CR103: Schauer #Z-78
18	1	MC-06200600	Capacitor; C101: Sprague #TVA-1709
19	1	MC-06100800	Capacitor; C102: Pyramid #CT16-P1
20	1	MC-06200700	Capacitor; C103: Sprague #TVA-1301

<u>Item No.</u>	<u>Quantity</u>	<u>Part Number</u>	<u>Description</u>
21	5	MC-36104003	Potentiometer; R106, R115, R116, R117, R118: 100K Ω , 2 Watt-AB #JAIN032S104UA
22	2	MC-36504000	Potentiometer; R137, R138: 500K-AB #91593 Type J
23	4	MC-36504001	Potentiometer; R139, R140, R141, R142: 500K-AB #90207, Type J
24	1	MC-36103002	Potentiometer; R119: 10K Ω , 2 Watt-AB #JAIN032S103UA
25	4	MC-36254001	Potentiometer; R120, R121, R122, R123: 250K Ω , 2 Watt-AB #JAIN032S254UA
26	1	MC-36252002	Potentiometer; R124: 2.5K Ω , 2 Watt-Ohmite Style CLU2521
27	1	MC-36902000	Resistor; R109: 9K Ω , 10 Watt-Koolohm
28	1	MC-09010002	Jack, Dynode, Red-J101: E.F. Johnson Co. #105-252-1
29	1	MC-09010001	Jack, Dynode, Black-J102: E.F. Johnson Co. #105-253-1
30	1	MC-10001310	Cable Assembly, P.M. Tube
31	1	MC-29000660	Fiber Optics Subassembly
32	1	MC-29000670	Aperture Probe Assembly
33	10	MC-49000020	Ring, Retaining-Filter
34	4	MC-51000100	Ball, Nylon, Detent
35	4	MC-50000400	Spring, Ball Detent
36	4	MC-51400700	Foot, Rubber-Atlantic India #1392
37	4	MC-37070500	#6-32 x 5/16 Lg. B.H.M.S.
38	1	MC-51400030	Grommet, Rubber-Atlantic India #2335
39	3	MC-51400040	Grommet, Rubber-Atlantic India #2286

<u>Item No.</u>	<u>Quantity</u>	<u>Part Number</u>	<u>Description</u>
40	2	MC-51400200	Grommet, Rubber-Atlantic India #230
41	1	MC-51400210	Grommet, Rubber-Atlantic India #828
42	1	MC-12000100	Strain Relief, Gripmaster, Insul. Type 2



Price: total



STAT

BEST COPY
Available
THROUGHOUT
FOLDER


6/24/98

4.7 *











1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100



1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100



~~XXXXXXXXXX~~
3.78X

10.7"

2.5 sec
115 W



1.5 m
DEKto1

~~XXXXXXXXXX~~

7.2°

5.07X


10 sec 115 V
1.5 min Dektol



14.33X

Approved For Release 2004/08/04 : CIA-RDP78B04770A000500010001



7 sec. 115 V
1.5 min Dekto



14.33X

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

4.7"



23.77X

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-3

3"

10 sec 115V 78.2 comp.
1.5 min. Dek401


Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-3

8.71X

Approved For Release

2004/11/30 : CIA-RDP78B04770A000500010001-6

1.9"




10 sec 115 v 78.2 contg.
1.5 min Dek + 01

[REDACTED]

02.5X

1.25"


0.5 sec 115V
1.5 min Dektol



62.5X

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

1125




Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

0215X

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

1.25



62,5X

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6


1125

[REDACTED]

62.5X

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

1125




Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

1125

62.5x


Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

1.25"



62.5X


1.25



62-5X

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6


125



62,5X


Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

1.25"




Set of Photos
for BPE

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6




Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6




Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6





Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6



Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6




Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6










STAT




























































Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6

/

STAT



P.O. BOX 8031
SOUTHWEST STATION
WASHINGTON, D.C. 20024

2274

TDS

RECEIVED
AIR MAIL

REGISTER
82077

RETURN
RECEIPT
REQUESTED

Approved For Release 2004/11/30 : CIA-RDP78B04770A000500010001-6